



ZMW
Docket No. 4220-127 US

The undersigned certifies that this communication is being deposited with the United States Postal Service as prepaid first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on May 18, 2004.

Cynthia Soumoff
Cynthia Soumoff

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: : Customer No.: 26817
KIM, Young-Woo :
Serial No.: 10/577,170 : Group Art Unit: 3739
Filed: December 13, 2006 : Examiner: LEUBECKER, John P.
Title: A LAPROSCOPE WITH FLEXIBLE : Confirmation No.: 1116
BINOCULAR CAMERA :
X

Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

Sir:

In response to a Notice of Non-Compliant Amendment, mailed May 13, 2009, which Notice states that the drawings are not acceptable and that Replacement drawings in compliance with 37 C.F.R. § 1.84 and 37 C.F.R. § 1.121 are required, Applicant hereby submits four (4) Replacement Sheets of Drawings for the above-referenced U.S. patent application.

It is believed that no fee is required for submission of the Replacement drawings. However, if any fees are required, the Commissioner is authorized to charge Deposit Account No. 13-2165.

Respectfully submitted,


Cynthia Seumoff
Reg. No. 38,314
Attorney for Applicant

Dated: May 18, 2009

PORZIO, BROMBERG & NEWMAN, P.C.
29 Thanet Road, Suite 201
Princeton, NJ 08540
Tel: 609 924 8555
Fax: 609 924 3036